If You Are Not Sure Please Ask Do Not Scale Drawing METRIC

Rover Max Controller Electrical Installation Twin Relay Example

Twin Relay Example



<Control Circuit Example>

A1 - High Side of Coil
A2 - Low Side Of Coil

Motor Control.

Start side to be wired Normally Open
Stop side to be wired Normally Open (energised when healthy)

Healthy Circuit Must be High for system control to activate
Running Circuit must be High for system to continue running after start command

0-10v signal circuit can be used in VFD application.

Rover Systems Pump Modem Max

4g Pump Modem - Electrical Installation Example
Twin Relay Pulsed Control Example

Designed and Manufactued by Rover Systems Pty Ltd

Change Notes:

CHANGE DOC. | CD/REC | CHANGE DATE | CD/APPV | CD/CHK

Rover Max Controller Electrical Installation Twin Relay Example

WEIGHT: kg.
MATERIAL:
SPECIFICATION:

Thickness	
FINISH:	
PROFILE_DWG:	
TOOLING_DWG:	
PARENT_DWG:	

TOLERANCES
X = +/- 1.5
X.X = +/- 0.8
X.XX = +/- 0.25
ANG = +/- 1DEG

DO NOT SCALE DRAWING | SHEET 1 OF 1 | DATE: 1/01/2025

DWG: | SCALE:1:1 | REVISION:

DESCRIPTION:

		CHG	VER	SHT
DRAWN				
APPV'D				A3
CHK'D				

STATUS